



A Review of the Long-Term Effects of Invasive Plant Species on Native Plant Community Structure and Ecosystem Functioning

¹Manshi Yadav, ²Avshesh Kumar and ³Rajkumar Yadav

^{1,2,3}Department Of Botany ,T.D.P.G . College ,Jaunpur Affiliated To VBSP University ,Jaunpur (U.P.)222002.

ABSTRACT

Globally, invasive plant species (IPS) are a major cause of ecological degradation and biodiversity loss. By altering vegetation structure, soil characteristics, nitrogen cycling, microbial diversity, and hydrological processes, they modify native plant groups and impair ecosystem resilience. Invasive plants inhibit native species and interfere with vital ecosystem services like carbon sequestration, soil fertility, pollination, and water management through resource competition, allelopathy, and habitat change. The long-term effects of invasive plant species on native vegetation and ecosystem functioning are examined in this article. It discusses the impact of climate change on invasion dynamics while highlighting the main mechanisms of invasion, such as competitive superiority, enemy release, and plant–soil feedbacks. In order to preserve biodiversity and sustain ecosystem functioning, the review highlights the significance of integrated management and ecological restoration.

KEYWORDS

Plant-soil feedback, allelopathy, nutrient cycling, biological invasion, native vegetation, invasive plant species, biodiversity loss, ecosystem services, and restoration ecology.

ARTICLE HISTORY

Received: 27 April 2026

Accepted: 15 May 2026

Published: 30 June 2026

CITATION

Yadav, M., (2026). A Review of the Long-Term Effects of Invasive Plant Species on Native Plant Community Structure and Ecosystem Functioning, *Journal of Science and Technology (GJST)*, 2(2), 66-73.
<https://doi.org/10.65523/gjst.2026.v2.i2.10>

1. Introduction

One of the biggest environmental problems of the twenty-first century is acknowledged to be biological invasions. Invasive alien plant species (IAPS) are a major danger to agricultural productivity, environmental stability, biodiversity, and sustainable use of natural resources. Globalization, international trade, urbanization, habitat fragmentation, and climate change are examples of human actions that have expedited the introduction and global spread of invasive plant species. Once established, these species can dominate native ecosystems for extended periods of time due to their rapid growth, high reproductive capacity, phenotypic plasticity, and effective resource consumption.

Major Invasive Alien Plant Species Affecting Ecosystems

These species dominate native vegetation through rapid growth, prolific reproduction, and competitive resource utilization.

Parthenium hysterophorus (Congress Grass)	Lantana camara (Spanish Flag)	Chromolaena odorata (Siam Weed)	Ageratina adenophora (Crofton Weed)
			
• Fast growth and high seed production • Allelopathic – inhibits germination and growth of native plants • Forms dense monocultures • Reduces crop productivity and biodiversity	• Evergreen, thorny shrub • Highly adaptable to various habitats • Produces toxic allelochemicals • Displaces native flora and fauna • Hinders regeneration of native species	• Very fast growth and spread • Produces abundant light seeds • Releases allelochemicals • Invades open areas, forests, grasslands • Reduces native plant diversity	• Fast growing and wide spreading • Allelopathic – inhibits native plants • Invades forests, pastures, wastelands • Forms dense thickets • Major threat to biodiversity
  	  	  	  


These invasive species alter ecosystem structure, soil properties, nutrient cycling, and reduce biodiversity and ecosystem resilience.

Invasive plant species cause long-lasting ecological changes that go beyond direct competition with native plants, in contrast to transient environmental disturbances. They change the hydrological processes, microbial populations, soil physicochemical characteristics, vegetation composition, ecosystem structure, nutrient cycling, and species interactions. As a result, invasive plants are acknowledged as one of the five main causes of biodiversity loss worldwide, along with pollution, habitat destruction, climate change, and overuse of natural resources (Pyšek et al., 2020; IPBES, 2023).

By preserving biodiversity, promoting wildlife habitats, controlling nutrient cycling, preserving soil fertility, halting erosion, and maintaining ecosystem productivity, native plant communities serve as the ecological cornerstone of terrestrial ecosystems (Tilman, 1999). However, invasive plants frequently create dense monospecific stands in place of varied native vegetation, which lowers ecological resilience and habitat diversity. Even once invasive species are eliminated, these structural alterations may last for decades, making ecosystem regeneration more challenging (Ehrenfeld, 2010).

Global Pathways of Invasive Plant Spread


Human activities including international trade, transportation, urbanization, habitat fragmentation, and climate change facilitate the introduction and spread of invasive alien plant species.



The astonishing success of invasive plant species can be explained by a number of ecological theories. According to the Enemy Release Hypothesis, invading plants can devote more resources to growth and reproduction after escaping their native herbivores and pathogens (Keane & Crawley, 2002). The Novel Weapons Hypothesis, which postulates that invasive species produce allelochemicals that are foreign to native plants, is another generally accepted theory. According to Callaway and Ridenour (2004), these substances facilitate invasion success by inhibiting plant growth, suppressing seed germination, and lowering the competitiveness of native vegetation. Another significant way that invasive plants subjugate native communities is through competition for vital resources like sunshine, water, nutrients, and space. Numerous invasive species have large root systems, quick growth rates, excellent nitrogen uptake, and great photosynthetic efficiency. According to Levine et al. (2003), these traits limit native plants' access to resources, which lowers their chances of survival, reproduction, and species richness. Furthermore, allelopathic substances released by invasive species such *Parthenium hysterophorus*, *Lantana camara*, *Ageratina adenophora*, and *Chromolaena odorata* prevent native plant establishment and produce long-lasting plant-soil feedbacks that encourage additional invasion (Inderjit & Duke, 2003).

INVASIVE PLANTS DISRUPTING ECOSYSTEM FUNCTIONING


Long-term ecological impacts of invasive plants on pollination, hydrology, fire regimes, and ecosystem processes.



Long-term incursions also drastically alter subterranean ecological processes and soil characteristics. Nutrient cycling and microbial activity are impacted by variations in litter quality, soil pH, organic carbon content, moisture, nitrogen availability, and phosphorus dynamics. By altering root exudates and litter inputs, invasive plants often modify bacterial, fungal, and mycorrhizal communities, resulting in soil conditions that favor invasive species while decreasing native plant performance (Ehrenfeld, 2003; van der Putten et al., 2007). These interactions between plants and soil increase the persistence of invasions and decrease the chance for ecosystem recovery. Invasive plants alter hydrological regimes, fire frequency, pollination networks, and trophic interactions, all of which have an impact on ecosystem functioning beyond soil processes. Dense invasive vegetation can alter streamflow, increase soil erosion, decrease groundwater recharge, and increase evapotranspiration. While invasive floral plants alter pollinator behavior by drawing pollinators away from native species, hence decreasing native plant reproduction and biodiversity, some invasive grasses encourage more frequent and intense wildfires (Brooks et al., 2004; Morales & Traveset, 2009).

NATIVE ECOSYSTEM VERSUS INVASIVE PLANT-DOMINATED ECOSYSTEM


Comparison between diverse native plant communities and ecosystems dominated by invasive alien plant species.



By fostering the growth of invasive species, climate change exacerbates biological invasions. Many invasive species are more likely to establish and spread when native ecosystems are more vulnerable due to rising temperatures, changing rainfall patterns, increased atmospheric carbon dioxide concentrations, and an increase in the frequency of extreme weather events (Bellard et al., 2013). In addition to their negative effects on the environment, invasive plant species have significant financial implications due to decreased agricultural output, higher management costs, deterioration of ecosystem services, and losses in grazing and forestry systems (Diagne et al., 2021). Because invasive plants leave behind permanent ecological legacies, such as altered soil characteristics, transformed microbial populations, and long-lived seed banks that promote reinvasion, restoring invaded habitats is frequently difficult.

EFFECTS OF INVASIVE PLANTS ON SOIL PROPERTIES AND MICROORGANISMS

Invasive plants alter soil physicochemical properties, microbial diversity, nutrient cycling, and rhizosphere interactions.



The knowledge and tracking of biological invasions have been significantly enhanced by recent developments in molecular ecology, remote sensing, ecological modeling, and environmental DNA. However, there are still a lot of unanswered questions about how invasive plants, soil microbes, climate change, and ecosystem multifunctionality interact over the long run. With an emphasis on the mechanisms of invasion, ecological ramifications, and future research priorities for successful biodiversity conservation and sustainable ecosystem management, this review attempts to summarize the most recent scientific data on the long-term effects of invasive plant species on native plant community structure and ecosystem functioning.

Conclusion

Long-term alterations in native plant communities and ecosystem functioning are caused by invasive plant species, which are significant contributors to biodiversity loss and environmental degradation. Invasive plants decrease native species diversity, ecosystem resilience, and vital ecosystem services through resource competition, allelopathy, changes in soil characteristics, microbial communities, and nutrient cycling (Ehrenfeld, 2010; van der Putten et al., 2007). Additionally, they have an impact on pollination, carbon storage, water control, and ecological stability; their expansion and effects are predicted to worsen due to climate change (Bellard et al., 2013).

Early discovery, ongoing observation, integrated control strategies, native vegetation restoration, and ecosystem rehabilitation are all necessary for effective management. In order to better control invasive species, future research should concentrate on long-term ecological monitoring, plant-soil interactions, the consequences of climate change, and cutting-edge technologies like remote sensing, GIS, and environmental DNA (eDNA). To preserve biodiversity and guarantee sustainable ecosystem functioning, cooperative conservation efforts are crucial.

References

1. Bais, H. P., Vepachedu, R., Gilroy, S., Callaway, R. M., & Vivanco, J. M. (2003). Exotic plant invasion and allelopathy. 1377–1380 in *Science*, 301(5638). <https://doi.org/10.1126/science.1083245>
2. Blackburn, T. M., Bellard, C., and Cassey, P. (2013). The loss of biodiversity is caused by alien species. *Ecology Letters*, 16(1), 1–11. <https://doi.org/10.1111/ele.12017>
3. Brooks M. L. and associates (2004). effects on fire regimes of invading alien plants. *BioScience*, 54(7), 677–688. [https://doi.org/10.1641/0006-3568\(2004\)054\[0677:EOIAP0\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2004)054[0677:EOIAP0]2.0.CO;2)
4. Callaway, R. M., & Aschehoug, E. T. (2000). Invasive plants in comparison to their old and new neighbors. 521–523 in *Science*, 290(5491). <https://doi.org/10.1126/science.290.5491.521>
5. Ridenour, W. M., & Callaway, R. M. (2004). novel theory of weapons. *Environmental and Ecological Frontiers*, 2(8), 436–443.
6. J. A. Catford and associates (2012). Plant invasions and the intermediate disturbance concept. *Distributions and Diversity*, 18, 109–120.
7. Ditommaso, A., and Clements, D. R. (2011). invasive plants and climate change. 4, 316–329; *Invasive Plant Science and Management*.
8. *Invasion Biology*, Davis, M. A. (2009). Oxford University Press.
9. Diagne and colleagues (2021). Globally, biological invasions have high and growing economic costs. *Nature*, 592, 571–576. <https://doi.org/10.1038/s41586-021-03405-6>
10. Ehrenfeld, J. G. (2003). effects of invasive exotic plants on the cycle of nutrients in the soil. *Ecosystems*, 6, 503–523.
11. Ehrenfeld, J. G. (2010). The effects of biological invasions on ecosystems. *Ecology, Evolution, and Systematics Annual Review*, 41, 59–80.
12. Vitousek, P. M., and Funk, J. L. (2007). efficiency of resource utilization and intrusiveness. *National Academy of Sciences Proceedings*, 104, 5949–5954.
13. Gaertner and colleagues (2014). controlling urban invasive species. *Urban Planning and Landscape*, 125, 1–12.
14. Pyšek, P., Hejda, M., and Jaroš, V. (2009). species richness as a result of invading plants. *Ecology Journal*, 97, 393–403.
15. Huenneke, L. F., and Hobbs, R. J. (1992). Disturbance and invasion. *Conservation Biology*, 6, 324–337.
16. Inderjit and Duke, S. O. (2003). Allelopathy's ecophysiological features. *Planta*, 217, 529–539.
17. IPBES (2023). An evaluation of invasive alien species and their management. *Biodiversity and Ecosystem Services Intergovernmental Science-Policy Platform*.
18. Crawley, M. J., and R. M. Keane (2002). theory of enemy release. 164–170 in *Trends in Ecology & Evolution*, 17(4).
19. D. C. Le Maitre et al. (2015). effects of invasive species on water supplies. *Journal of Science in South Africa*, 111, 1–10.
20. J. M. Levine and associates (2003). mechanisms behind the success of invasive plants. *Royal Society B. Proceedings*, 270, 775–781.
21. R. N. Mack and associates (2000). The causes, epidemiology, worldwide effects, and management of biotic invasions. 10, 689–710, *Ecological Applications*.
22. D'Antonio, C. M., and Mack, M. C. (1998). effects of biological invaders on the cycle of nutrients. *Ecology & Evolution Trends*, 13, 195–198.
23. Cleland, E. E., and Mooney, H. A. (2001). the effects of invasive species on evolution. *PNAS*, 98, 5446–5451.

24. Traveset, A., and Morales, C. L. (2009). Pollination networks and invasive species. *Ecology*, 90, 2047–2057.
25. M. J. Page and associates (2021). PRISMA 2020 statement. *BMJ*, 372, n71. <https://doi.org/10.1136/bmj.n71>
26. Pyšek, P., and associates (2012). An international evaluation of invasive plants. *Biology of Global Change*, 18, 1725–1737.
27. Pyšek and colleagues (2020). A warning from scientists about invasive alien species. *Reviews of Biology*, 95, 1511–1534.
28. Naturalization of introduced plants, Richardson, D. M., and Pyšek, P. (2012). 383–396 in *New Phytologist*, 196.
29. D. M. Richardson and associates (2000). alien plant invasion and naturalization. *Distributions and Diversity*, 6, 93–107.
30. H. Seebens and associates (2017). The global expansion of alien organisms has not reached saturation. *Communications in Nature*, 8, 14435.
31. D. Simberloff (2013). *Everyone should be aware of invasive species*. Oxford University Press.
32. K. N. Suding and associates (2015). pledging to restore the environment. *Science*, 348, 638–640.
33. D. Tilman (1999). the effects of shifting biodiversity on the environment. *Ecology*, 80, 1455–1474.
34. W. H. van der Putten and associates (2007). feedbacks between plants and soil. *Letters on Ecology*, 10, 296–310.
35. Vilà et al. (2011). Meta-analysis of the effects of invasive alien plants on the environment. *Letters on Ecology*, 14, 702–708.
36. P. M. Vitousek et al. (1996). biological invasions due to changes in the global environment. 84, 468–478, *American Scientist*.
37. M. Williamson (1996). Chapman & Hall, *Biological Invasions*.
38. Vila, M., and Hulme, P. E. (2017). *Biological Invasions' Effect on Ecosystem Services*. Springer.
39. T. M. Blackburn and associates (2011). A uniform paradigm for biological invasions is suggested. *Ecology & Evolution Trends*, 26, 333–339.
40. Hulme, P. E. (2009). Biological invasions, trade, and transportation. *Applied Ecology Journal*, 46, 10–18.
41. Lockwood, J. L., Marchetti, M. P., and Hoopes, M. F. (2013). *Ecology of Invasion* (2nd ed.). Blackwell Wiley.
42. D. Pimentel and associates (2005). Invasive species pose a threat to the environment and economy. 52, 273–288, *Ecological Economics*.
43. A. K. Sakai and associates (2001). the biology of invasive species populations. *Ecology and Systematics Annual Review*, 32, 305–332.
44. Espinar, J. L., Vila, M., et al. (2006). effects of invasive plants on the environment. *Letters on Ecology*, 9, 1–16.
45. Dawson and colleagues (2017). plant invasion hotspots worldwide. *Ecology & Evolution in Nature*, 1, 0186.
46. Richardson, D. M., and Rejmánek, M. (1996). What characteristics increase the invasiveness of certain plant species? *Ecology*, 77, 1655–1661.
47. Vitousek, P. M., and D'Antonio, C. M. (1992). biological invasions caused by the fire cycle and exotic grasses. *Ecology and Systematics Annual Review*, 23, 63–87.
48. D'Antonio, C. M., and Levine, J. M. (1999). Elton's meta-analysis of biotic resistance was reviewed. *Oikos*, 87, 15–26.

49. P. E. Hulme (2006). Beyond control: broader consequences for managing invasive species. *Applied Ecology Journal*, 43, 835-847.
50. D. M. Richardson (2011). Wiley-Blackwell, Fifty Years of Invasion Ecology: Charles Elton's Legacy.